Performance Report for:

https://termo-san.rs/p/acu-solar-8-bar/

Report generated: Wed, Mar 2, 2022 6:09 PM -0800
Test Server Location: 🇬🇧 London, UK
Using: 🔴 Chrome (Desktop) 90.0.4430.212, Lighthouse 8.3.0

A	Performance **100%**	Structure **97%**	L. Contentful Paint **383ms**	T. Blocking Time **11ms**	C. Layout Shift **0.01**

Top Issues

IMPACT	AUDIT	
Med-Low	**Use a Content Delivery Network (CDN)**	25 resources found
Med-Low	**Avoid an excessive DOM size**	1,230 elements
Low	**Serve static assets with an efficient cache policy**	Potential savings of 24.9KB
Low	**Avoid enormous network payloads**	Total size was 373KB
Low	**Avoid long main-thread tasks**	2 long tasks found

Page Details

586ms
Fully Loaded Time

Total Page Size - 367KB

JS 201KB	Font 106KB	HTML 38.2KB	

Total Page Requests - 30

JS 73.3%	IMG 16.7%		

🟪 HTML ▪ JS ▪ CSS ▪ IMG ▪ Video ▪ Font ▪ Other

How does this affect me?

Today's web user expects a fast and seamless website experience. Delivering that fast experience can result in increased visits, conversions and overall happiness.

As if you didn't need more incentive, **Google has announced that they are using page speed in their ranking algorithm.**

### About GTmetrix

CARBON60
THE MANAGED CLOUD COMPANY

GTmetrix is developed by the good folks at **Carbon60**, a Canadian hosting company with over 26 years experience in web technology.

https://carbon60.com/

The waterfall chart displays the loading behaviour of your site in your selected browser. It can be used to discover simple issues such as 404's or more complex issues such as external resources blocking page rendering.

Acu solar 8 bar – Termosan

acu-solar-8-bar/	200	termo-san.rs	37.8KB		148ms
logo.jpg	200	termo-san.rs	3.52KB		43ms
gbtps-prohromski-bojler-vertikalni-bt...	200	termo-san.rs	612B		43ms
gbei-ekspanzione-posude-imera-35-1...	200	termo-san.rs	1.09KB		49ms
jquery.min.js?ver=3.6.0	200	termo-san.rs	30.2KB		24ms
preloaded-elements-handlers.min.js?...	200	termo-san.rs	30.2KB		43ms
js?id=UA-107499247-10	200	googletagmanager.com	36.6KB		39ms
gbbo-bosch-acu-solar.jpg	200	termo-san.rs	8.91KB		28ms
gkcb-bosch-2000b.jpg	200	termo-san.rs	5.08KB		29ms
fa-solid-900.woff2	200	termo-san.rs	76.3KB		92ms
Simple-Line-Icons.woff2?v=2.4.0	200	termo-san.rs	29.4KB		86ms
jquery.zoom.min.js?ver=1.7.21-wc.6.2.1	200	termo-san.rs	1.15KB		25ms
jquery.flexslider.min.js?ver=2.7.2-wc....	200	termo-san.rs	6.36KB		27ms
photoswipe.min.js?ver=4.1.1-wc.6.2.1	200	termo-san.rs	11.7KB		39ms
photoswipe-ui-default.min.js?ver=4.1....	200	termo-san.rs	3.55KB		40ms
single-product.min.js?ver=6.2.1	200	termo-san.rs	1.84KB		37ms
jquery.blockUI.min.js?ver=2.7.0-wc.6....	200	termo-san.rs	3.41KB		41ms
js.cookie.min.js?ver=2.1.4-wc.6.2.1	200	termo-san.rs	982B		40ms
theme.vanilla.min.js?ver=1.0.0	200	termo-san.rs	17.8KB		43ms
lazyload.min.js?ver=1.8.6	200	termo-san.rs	2.09KB		44ms
bellows.min.js?ver=1.3	200	termo-san.rs	1.35KB		42ms
instantpage.js?ver=1646229138	200	termo-san.rs	1.15KB		44ms
webpack-pro.runtime.min.js?ver=3.6.3	200	termo-san.rs	2.28KB		45ms
webpack.runtime.min.js?ver=3.5.6	200	termo-san.rs	2.12KB		37ms
frontend-modules.min.js?ver=3.5.6	200	termo-san.rs	4.50KB		38ms
hooks.min.js?ver=1e58c8c5a32b2e97...	200	termo-san.rs	1.83KB		35ms
i18n.min.js?ver=30fcecb428a0e8383d...	200	termo-san.rs	3.88KB		35ms
frontend.min.js?ver=3.5.6	200	termo-san.rs	10.6KB		38ms
analytics.js	200	google-analytics.com	19.5KB		21ms
text-editor.289ae80d76f0c5abea44.bu...	200	termo-san.rs	661B		22ms
favicon.ico	200	termo-san.rs	6.22KB		22ms
31 Requests		**363KB (1.01MB Uncompressed)**		**586ms (Onload 490ms)**	

0.1s   0.1s   0.2s   0.2s   0.3s   0.4s   0.4s   0.5s   0.5s   0.6s

TTFB: 119ms
Redirect: 0ms
Connect: 90ms
Backend: 29ms

First Contentful Paint: 251ms

Largest Contentful Paint: 384ms

Time to Interactive: 462ms

Onload Time: 490ms

Fully Loaded Time: 586ms

Performance Metrics

First Contentful Paint	Good - Nothing to do here
How quickly content like text or images are painted onto your page. A good user experience is 0.9s or less.	**251ms**

Time to Interactive	Good - Nothing to do here
How long it takes for your page to become fully interactive. A good user experience is 2.5s or less.	**462ms**

Speed Index	Good - Nothing to do here
How quickly the contents of your page are visibly populated. A good user experience is 1.3s or less.	**393ms**

Total Blocking Time	Good - Nothing to do here
How much time is blocked by scripts during your page loading process. A good user experience is 150ms or less.	**11ms**

Largest Contentful Paint	Good - Nothing to do here
How long it takes for the largest element of content (e.g. a hero image) to be painted on your page. A good user experience is 1.2s or less.	**383ms**

Cumulative Layout Shift	Good - Nothing to do here
How much your page's layout shifts as it loads. A good user experience is a score of 0.1 or less.	**0.01**

Browser Timings

Redirect	0ms	Connect	90ms	Backend	29ms
TTFB	119ms	First Paint	251ms	DOM Int.	414ms
DOM Loaded	462ms	Onload	490ms	Fully Loaded	586ms

IMPACT	AUDIT	
Med-Low	Use a Content Delivery Network (CDN)	25 resources found
Med-Low	Avoid an excessive DOM size	1,230 elements
Low	Serve static assets with an efficient cache policy	Potential savings of 24.9KB
Low	Avoid enormous network payloads	Total size was 373KB
Low	Avoid long main-thread tasks	2 long tasks found
Low	Reduce JavaScript execution time	107ms spent executing JavaScript
Low	Reduce initial server response time	Root document took 28ms
Low	Avoid serving legacy JavaScript to modern browsers	Potential savings of 35B
Low	Avoid large layout shifts	5 elements found
Low	Avoid non-composited animations	1 animated element found
Low	Avoid chaining critical requests	4 chains found
N/A	Largest Contentful Paint element	1 element found
N/A	Minimize main-thread work	Main-thread busy for 563ms
N/A	Reduce the impact of third-party code	Total size was 57.0KB
N/A	User Timing marks and measures	