## Performance Report for:

https://termo-san.rs/

Report generated: Tue, Mar 1, 2022 11:42 PM -0800
Test Server Location: 🇬🇧 London, UK
Using: 🔴 Chrome (Desktop) 90.0.4430.212, Lighthouse 8.3.0

A	Performance 100%	Structure 98%		L. Contentful Paint 431ms	T. Blocking Time 28ms	C. Layout Shift 0

Top Issues

IMPACT	AUDIT	
Med-Low	Use a Content Delivery Network (CDN)	24 resources found
Low	Serve static assets with an efficient cache policy	Potential savings of 24.9KB
Low	Avoid an excessive DOM size	611 elements
Low	Avoid enormous network payloads	Total size was 420KB
Low	Properly size images	Potential savings of 22.9KB

Page Details

646ms
Fully Loaded Time

Total Page Size - 413KB

JS 223KB	Font 106KB	IMG 51.7KB	

Total Page Requests - 29

JS 69.0%	IMG 20.7%		

🟪 HTML 🟦 JS 🔵 CSS 🔵 IMG ⬛ Video 🟪 Font ⬜ Other

How does this affect me?

Today's web user expects a fast and seamless website experience. Delivering that fast experience can result in increased visits, conversions and overall happiness.

As if you didn't need more incentive, **Google has announced that they are using page speed in their ranking algorithm.**

About GTmetrix

GTmetrix is developed by the good folks at **Carbon60**, a Canadian hosting company with over 26 years experience in web technology.

CARBON60
THE MANAGED CLOUD COMPANY

https://carbon60.com/

Page scores

GTmetrix Grade — Performance Score — Structure Score

Page metrics

Time to First Byte — First Contentful Paint — Largest Contentful Paint — Onload Time — Time to Interactive
Fully Loaded — Total Blocking Time — Speed Index — Cumulative Layout Shift

Page sizes and request counts

HTML Size — Total Page Size — Requests

The waterfall chart displays the loading behaviour of your site in your selected browser. It can be used to discover simple issues such as 404's or more complex issues such as external resources blocking page rendering.

Termosan – Vodovod i Grejanje Novi Sad i Užice

/	200	termo-san.rs	31.5KB	143ms
logo.jpg	200	termo-san.rs	3.52KB	45ms
Slider1.jpg	200	termo-san.rs	43.7KB	46ms
proizvodi-za-grejanje.png	200	termo-san.rs	818B	56ms
jquery.min.js?ver=3.6.0	200	termo-san.rs	30.2KB	43ms
preloaded-elements-handlers.min.js?…	200	termo-san.rs	30.2KB	26ms
js?id=UA-107499247-10	200	googletagmanager.com	36.6KB	57ms
proizvodi-za-vodovod.png	200	termo-san.rs	0.99KB	37ms
kontaktirajte-nas.png	200	termo-san.rs	372B	39ms
theme.vanilla.min.js?ver=1.0.0	200	termo-san.rs	17.8KB	31ms
youtube-color.svg	200	termo-san.rs	566B	22ms
fa-solid-900.woff2	200	termo-san.rs	76.3KB	177ms
Simple-Line-Icons.woff2?v=2.4.0	200	termo-san.rs	29.4KB	176ms
lazyload.min.js?ver=1.8.6	200	termo-san.rs	2.09KB	24ms
instantpage.js?ver=1646205202	200	termo-san.rs	1.15KB	29ms
jquery.smartmenus.min.js?ver=1.0.1	200	termo-san.rs	6.99KB	26ms
webpack-pro.runtime.min.js?ver=3.6.3	200	termo-san.rs	2.28KB	29ms
webpack.runtime.min.js?ver=3.5.6	200	termo-san.rs	2.12KB	30ms
frontend-modules.min.js?ver=3.5.6	200	termo-san.rs	4.50KB	32ms
hooks.min.js?ver=1e58c8c5a32b2e97…	200	termo-san.rs	1.83KB	33ms
i18n.min.js?ver=30fcecb428a0e8383d…	200	termo-san.rs	3.88KB	31ms
frontend.min.js?ver=3.6.3	200	termo-san.rs	5.33KB	33ms
swiper.min.js?ver=5.3.6	200	termo-san.rs	34.7KB	37ms
frontend.min.js?ver=3.5.6	200	termo-san.rs	10.6KB	51ms
analytics.js	200	google-analytics.com	19.5KB	18ms
text-editor.289ae80d76f0c5abea44.bu…	200	termo-san.rs	661B	23ms
image-carousel.bd7aab19c9d934b7c5…	200	termo-san.rs	1.14KB	23ms
video.1a44ef088849d6949ada.bundle.…	200	termo-san.rs	1.28KB	29ms
dialog.min.js?ver=4.9.0	200	termo-san.rs	3.37KB	23ms
favicon.ico	200	termo-san.rs	6.22KB	27ms

30 Requests   **409KB (1.08MB Uncompressed)**   **Fully Loaded 646ms (Onload 518ms)**

0.1s 0.1s 0.2s 0.3s 0.3s 0.4s 0.5s 0.5s 0.6s 0.6s

TTFB: 119ms

Redirect: 0ms
Connect: 90ms
Backend: 29ms

First Contentful Paint: 374ms

Onload Time: 518ms

Largest Contentful Paint: 432ms

Time to Interactive: 613ms

Fully Loaded Time: 646ms

Performance Metrics

First Contentful Paint

How quickly content like text or images are painted onto your page. A good user experience is 0.9s or less.

Good - Nothing to do here

374ms

Time to Interactive

How long it takes for your page to become fully interactive. A good user experience is 2.5s or less.

Good - Nothing to do here

613ms

Speed Index

How quickly the contents of your page are visibly populated. A good user experience is 1.3s or less.

Good - Nothing to do here

394ms

Total Blocking Time

How much time is blocked by scripts during your page loading process. A good user experience is 150ms or less.

Good - Nothing to do here

28ms

Largest Contentful Paint

How long it takes for the largest element of content (e.g. a hero image) to be painted on your page. A good user experience is 1.2s or less.

Good - Nothing to do here

431ms

Cumulative Layout Shift

How much your page's layout shifts as it loads. A good user experience is a score of 0.1 or less.

Good - Nothing to do here

0

Browser Timings

Redirect	0ms	Connect	90ms	Backend	29ms
TTFB	119ms	First Paint	374ms	DOM Int.	423ms
DOM Loaded	511ms	Onload	518ms	Fully Loaded	646ms

IMPACT	AUDIT	
Med-Low	**Use a Content Delivery Network (CDN)**	24 resources found
Low	**Serve static assets with an efficient cache policy**	Potential savings of 24.9KB
Low	**Avoid an excessive DOM size**	611 elements
Low	**Avoid enormous network payloads**	Total size was 420KB
Low	**Properly size images**	Potential savings of 22.9KB
Low	**Avoid long main-thread tasks**	3 long tasks found
Low	**Reduce JavaScript execution time**	136ms spent executing JavaScript
Low	**Reduce initial server response time**	Root document took 29ms
Low	**Avoid serving legacy JavaScript to modern browsers**	Potential savings of 35B
Low	**Avoid large layout shifts**	2 elements found
Low	**Avoid chaining critical requests**	4 chains found
Low	**Reduce unused JavaScript**	Potential savings of 25.0KB
N/A	**Largest Contentful Paint element**	1 element found
N/A	**Minimize main-thread work**	Main-thread busy for 556ms
N/A	**Reduce the impact of third-party code**	Total size was 57.0KB
N/A	**User Timing marks and measures**	